## **Health and Wellbeing Board Dashboard**

Please see 'sources' sheet for the source of the data included within this dashboard

HILD DEVELOPMENT  1 Solid development at age 5			A	ges	Baseline	Period	Current	Time period	Trendline
Hill DEVELOPMENT    Child development at age 5   Soci development at the end of reception   5     Ask attendances   O-4     Could enter per 1,000   O-17     Children in care   O-17     Children in care   O-17     Could enter per 1,000   O-17     Could enter per 1,	HEAL	TH & WELLBEING BOARD PRIORITIES							
1. Child development at age 5									
1 s. of eligible children achieving a good level of development at the end of reception 5 2 A&E attendances									
2 AkE attendances Coule rate per 1,000 Children in care Coule rate per 1,000 Children in care Coule rate per 1,000 Children in care Coule rate per 1,000 Chese children - Reception 4-5 So children who are obese Coule rate per 1,000 Coule rate rate rate rate rate rate rate rat	1			5					
Crude rate per 1,000 Children in care Crude rate per 1,000 children Crude rate per 10,000 children Crude rate per 10,000 children Sey children who are obese Sey children who are such sociol contact as they would like Sey children who are obese Sey children who are such sociol contact as they would like Sey children who are obese Sey children who are such sociol contact as they would like Sey children who are obese Sey children who are such sociol contact as they would like Se	_								
Crude rate per 10,000 children    Coulomb   Co	2			0-4					
Crude rate per 10,000 children Obese children - Reception Sof children who are obese 10-11 Sof children who are obese 10-12 Sof children who are obese 10-13 Sof children who are obese 10-14 Sof children who are obese 10-17 Crude rate per 100,000 Crude rate per 100,000 population Obese children service per 100,000 population Obese children who are obese 18- Sof addits achieving 15- Crude rate per 100,000 population Obese children who are obese 18- Obese children who are obese 18- Sof addits cabeliving 15- Crude rate per 100,000 population Obese children service per 100	2	Children in care		0 17					
% of children who are obese  Desce Children - Year 6 % of children who are obese Nospital admissions for mental health conditions Crude rate peer 100,000 Crude rate peer 100,000 Adults achieving 150 minutes of moderate intensity equivalent per week Adults with excess weight of adults cossified as overweight or obese Under-18 alcohol-specific admission episodes Crude rate per 100,000 population Alcohol-related admissions episodes (narrow definition) Olivectly Standardised Rate per 100,000 population Alcohol-related admissions episodes (narrow definition) All Premature mortality from carciousacular disease Directly Standardised Rate per 100,000 population  Premature mortality from carciousacular disease Directly Standardised Rate per 100,000 population  All Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population All Directly Standardised Rate per 100,000 population Alcohol-related Rate per 10	3	Crude rate per 10,000 children		J-1/					
So of children who are obese  Doese children - Year 6  Doese children - Year 6  Hospital admissions for mental health conditions Crude rate per 100,000  Crude rate per 100,000  TERLERALLY WELL: Increased levels of physical activity and obesity, reduction in harm from alcohol  Adults achieving 150+ minutes of moderate intensity equivalent per week  Adults with excess weight of adults cockess weight of adults costile stossified as overweight or obese  Under-18 alcohol-specific admission episodes Crude rate per 100,000 population  Alcohol-related admissions episodes (narrow definition) Alcohol-related admissions episodes (narrow definition) Directly Standardised Rate per 100,000 population  Premature mortality from liver disease Directly Standardised Rate per 100,000 population  To Social Standardised Rate per 100,000 population  Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  Alcohol-related disease of the per 100,000 population  Elemegency self-harm admissions Directly Standardised Rate per 100,000 population  All Directly Standardised Rate per 100,000 population  All Directly Standardised Rate per 100,000 population  All Directly Standardised Rate per 100,000 population  Alcohol-related disease of the per 100,000 population  Bereatly Standardised Rate per 100,000 population  Bereatly Standardised Rate per 100,000 population  Bereatly S	1	Obese children - Reception		1 5					
So of children who are obese   10-11	4	_: -1		4-5					
Nospital admissions for mental health conditions	5	Obese children - Year 6	1	∩_11	l				
Crude rate per 100,000  Crude rate per 100,000  Crude rate per 100,000  FERERRALLY WELL: Increased levels of physical activity and obesity; reduction in harm from alcohol  Adults achieving recommended levels of physical activity % of adults achieving 150+ minutes of moderate intensity equivalent per week Adults with excess weight of adults classified as overweight or obese  Under-18 alcohol-specific admission episodes Crude rate per 100,000 population  Alcohol-related admissions episodes (narrow definition) Directly Standardised Rate per 100,000 population  Premature mortality from liver disease Directly Standardised Rate per 100,000 population  CONG TERM CONDITIONS: Heart disease and stroke  Smoking prevalence % of adults who currently smoke  18+  13 Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  APPENDATION CONDITIONS: Heart disease Oriectly Standardised Rate per 100,000 population  APPENDATION CONDITIONS: Heart disease Sof adults who currently smoke  18+  Self reported wellbeing: low happiness Directly Standardised Rate per 100,000 population  All Self reported wellbeing: low happiness All Self reported wellbeing: low happiness And All Self reported wellbeing: low happiness And All Ferenture mortality from cardiovascular disease by adults care users who have as much social contact as they would like  FERENCE/CONDITION SARIY DEATHS FROM CANCER  Premature mortality from cancer  475  Fremature mortality from cancer		· · · · · · · · · · · · · · · · · · ·		.0 11					
Crude rate per 100,000  ENERRALLY WELL: Increased levels of physical activity and obesity; reduction in harm from alcohol  7 Adults achieving recommended levels of physical activity 8 of adults achieving 150+ minutes of moderate intensity equivalent per week 8 Adults with excess weight or obese 9 Under-18 alcohol-specific admission episodes Crude rate per 100,000 population 10 Alcohol-related admissions episodes (narrow definition) Directly Standardised Rate per 100,000 population 11 Premature mortality from liver disease Directly Standardised Rate per 100,000 population 12 Smoking prevalence 8 of adults who currently smoke 13 Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population 14 Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population 15 Directly Standardised Rate per 100,000 population 16 Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population 17 Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population All Directly Standardised Rate per 100,000 population All Self reported wellbeing: low happiness Olivectly Standardised Rate per 100,000 population All Self reported wellbeing: low happiness Social isolation Not Adults vegoring low happiness Social isolation Not Adults care users who have as much social contact as they would like  **ENDUCTION IN EARLY DEATHS FROM CANCER**	6	Hospital admissions for mental health conditions		n-17					
7 Adults achieving recommended levels of physical activity 7 % of adults achieving 150-minutes of moderate intensity equivalent per week 8 Adults with excess weight 9 Under-18 alcohol-specific admission episodes Crude rate per 100,000 population 10 Alcohol-related admissions episodes (narrow definition) Directly Standardised Rate per 100,000 population 11 Premature mortality from liver disease Directly Standardised Rate per 100,000 population 12 Premature mortality from liver disease Directly Standardised Rate per 100,000 population 13 Premature mortality from respiratory disease 14 Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population 15 Directly Standardised Rate per 100,000 population 16 Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population 17 Emergency self-harm admissions Directly Standardised Rate per 100,000 population 18 Self reported wellbeing; low happiness 19 Social isolation 20 Social isolation 30 Social isolation 30 Social isolation 30 Social isolation 30 Fremature mortality from cancer 30 Self reported wellbeing; low happiness 30 Social isolation 30 Social isolation 30 Social isolation 30 Fremature mortality from cancer 30 Social isolation 30 Social isolation 30 Social isolation 30 Premature mortality from cancer 30 Social isolation 30 Social isolati									
### Adults with excess weight of adults classified as ownewight or obese ### 184 ### 184 ### 184 ### 184 ### 184 ### 184 ### 184 ### 184 ### 184 ### 184 ### 184 ### 184 ### 184 ### 184 ### 185 ### 184 ### 184 ### 185 ### 1	GENE	RALLY WELL: Increased levels of physical activity and obesity; reduction i	in harm from	alc	ohol				
8 Adults with excess weight of adults classified as overweight or obese 9 Under-18 alcohol-specific admission episodes Crude rate per 100,000 population All Directly Standardised Rate per 100,000 population All Directly Standardised Rate per 100,000 population All Directly Standardised Rate per 100,000 population Crude rate per 100,000 population All Directly Standardised Rate per 100,000 population Crude TRANS All Directly Standardised Rate per 100,000 population Crude TRANS All Directly Standardised Rate per 100,000 population Crude TRANS All Directly Standardised Rate per 100,000 population Crude TRANS All Directly Standardised Rate per 100,000 population Crude TRANS All Directly Standardised Rate per 100,000 population Crude Translation	7	Adults achieving recommended levels of physical activity		10+					
of adults classified as overweight or obese  10 Under-18 alcohol-specific admission episodes Crude rate per 100,000 population  10 Directly Standardised Rate per 100,000 population  11 Premature mortality from liver disease Directly Standardised Rate per 100,000 population  275  276  277  278  279  279  270  270  270  270  271  272  273  274  275  275  275  275  275  275  275									
y Inder-18 alcohol-specific admission episodes Crude rate per 100,000 population Alcohol-related admissions episodes (narrow definition) Directly Standardised Rate per 100,000 population CNOR TERM CONDITIONS: Heart disease and stroke  Smoking prevalence Smoking prevalence Ye premature mortality from cardiovascular disease Oirectly Standardised Rate per 100,000 population  Premature mortality from cardiovascular disease Oirectly Standardised Rate per 100,000 population  Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  Emergency self-harm admissions Directly Standardised Rate per 100,000 population  All  Self reported wellbeing: low happiness adults reporting low happiness Author Social isolation Ye of adults social care users who have as much social contact as they would like  EMEDUCTION IN EARLY DEATHS FROM CANCER	8		%	18+					
Crude rate per 100,000 population Alcohol-related admissions episodes (narrow definition) Directly Standardised Rate per 100,000 population Premature mortality from liver disease Directly Standardised Rate per 100,000 population  CNOST TERM CONDITIONS: Heart disease and stroke  Smoking prevalence % of adults who currently smoke Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population  Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population  All  MENTAL HEALTH  Emergency self-harm admissions Directly Standardised Rate per 100,000 population  Self reported wellbeing: low happiness dults reporting low happiness % of adults scoial care users who have as much social contact as they would like  Premature mortality from cancer		· · · · · · · · · · · · · · · · · · ·							
Crude rate per 100,000 population Alcohol-related admissions episodes (narrow definition) Directly Standardised Rate per 100,000 population  11 Premature mortality from liver disease Directly Standardised Rate per 100,000 population  ONG TERM CONDITIONS: Heart disease and stroke  Smoking prevalence Smoking prevalence Yo fadults who currently smoke 13 Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  44 Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population  Fremature mortality from respiratory disease Directly Standardised Rate per 100,000 population  All  Fremature HEALTH  Self reported wellbeing: low happiness  Social isolation Yo of adults reporting low happiness Yo of adults reporting low happiness  Social isolation Yo of adults reporting low happiness  Social isolation Fremature mortality from cancer  You fact the self-the s	9	·		<18					
Directly Standardised Rate per 100,000 population Premature mortality from liver disease Directly Standardised Rate per 100,000 population  ONG TERM CONDITIONS: Heart disease and stroke  Smoking prevalence % of adults who currently smoke  12 Smoking prevalence % of adults who currently smoke  13 Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population  Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population  All  Emergency self-harm admissions Directly Standardised Rate per 100,000 population  Self reported wellbeing: low happiness adults reporting low happiness Social isolation % of adult social care users who have as much social contact as they would like  Premature mortality from cancer  575  Premature mortality from cancer  575									
Premature mortality from liver disease Directly Standardised Rate per 100,000 population  ONG TERM CONDITIONS: Heart disease and stroke  Smoking prevalence % of adults who currently smoke  18+  Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  Applicative Standardised Rate per 100,000 population  Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population  Applicative Standardised Rate per 100,000 population  Applicative Standardised Rate per 100,000 population  All  Emergency self-harm admissions Directly Standardised Rate per 100,000 population  Self reported wellbeing: low happiness 4 dults reporting low happiness 5 ocial isolation % of adult social care users who have as much social contact as they would like  EXECUTION IN EARLY DEATHS FROM CANCER  Premature mortality from cancer  < 575	10			All					
Directly Standardised Rate per 100,000 population  ONG TERM CONDITIONS: Heart disease and stroke  Smoking prevalence % of adults who currently smoke  18+  Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  75  Temperature mortality from respiratory disease Directly Standardised Rate per 100,000 population  Femature mortality from respiratory disease Directly Standardised Rate per 100,000 population  All  Emergency self-harm admissions Directly Standardised Rate per 100,000 population  Self reported wellbeing: low happiness  Social isolation % of adults reporting low happiness  Social isolation % of adult social care users who have as much social contact as they would like  Premature mortality from cancer		, , , , , ,							
ONG TERM CONDITIONS: Heart disease and stroke  12 Smoking prevalence	11	,		<75					
Smoking prevalence % of adults who currently smoke  13 Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  44 Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population  55 Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population  65 Emergency self-harm admissions Directly Standardised Rate per 100,000 population  66 Self reported wellbeing: low happiness adults reporting low happiness  76 Social isolation % of adult social care users who have as much social contact as they would like  77 Premature mortality from cancer  87 Premature mortality from cancer  87 Social social care users who have as much social contact as they would like									
### ### ### ### ### ### ### ### ### ##	LONG								
Premature mortality from cardiovascular disease Directly Standardised Rate per 100,000 population  Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population  Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population  **Total HEALTH**    Emergency self-harm admissions	12			18+					
Directly Standardised Rate per 100,000 population  Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population  First HEALTH  Emergency self-harm admissions Directly Standardised Rate per 100,000 population  Self reported wellbeing: low happiness 40 dults reporting low happiness  Social isolation 40 daults original social care users who have as much social contact as they would like  Premature mortality from cancer  Premature mortality from cancer  Social isolation 50 dault social care users who have as much social contact as they would like  Premature mortality from cancer  Social isolation 50 dault social care users who have as much social contact as they would like  Self DUCTION IN EARLY DEATHS FROM CANCER  Premature mortality from cancer 575		· · · · · · · · · · · · · · · · · · ·		10.					
Premature mortality from respiratory disease Directly Standardised Rate per 100,000 population  **Temperature mortality from respiratory disease Directly Standardised Rate per 100,000 population  **Temperature mortality from admissions Directly Standardised Rate per 100,000 population  **Self reported wellbeing: low happiness adults reporting low happiness **Social isolation **Social isolat	13	·		<75					
Directly Standardised Rate per 100,000 population  MENTAL HEALTH  15 Emergency self-harm admissions Directly Standardised Rate per 100,000 population  16 Self reported wellbeing: low happiness adults reporting low happiness  17 Social isolation % of adult social care users who have as much social contact as they would like  MEDUCTION IN EARLY DEATHS FROM CANCER  18  Premature mortality from cancer									
## Premature mortality from cancer    All	14	· · · · · · · · · · · · · · · · · · ·		<75					
Emergency self-harm admissions Directly Standardised Rate per 100,000 population  Self reported wellbeing: low happiness adults reporting low happiness  Social isolation % of adult social care users who have as much social contact as they would like  Premature mortality from cancer  All  16+  18+  18+  25  275									
Directly Standardised Rate per 100,000 population  Self reported wellbeing: low happiness  adults reporting low happiness  Social isolation % of adult social care users who have as much social contact as they would like  Premature mortality from cancer  Premature mortality from cancer  All  16+  18+  18+	MENT								
Directly Standardised Rate per 100,000 population  Self reported wellbeing: low happiness	15	· ,		All					
adults reporting low happiness  Social isolation % of adult social care users who have as much social contact as they would like  REDUCTION IN EARLY DEATHS FROM CANCER  18  Premature mortality from cancer  <75									
adults reporting low happiness  Social isolation % of adult social care users who have as much social contact as they would like  REDUCTION IN EARLY DEATHS FROM CANCER  Premature mortality from cancer  <75	16	, , , , , , , , , , , , , , , , , , , ,	% of	6 of 16+					
% of adult social care users who have as much social contact as they would like  REDUCTION IN EARLY DEATHS FROM CANCER  18  Premature mortality from cancer  <75									
Premature mortality from cancer  75	17			18+					
Premature mortality from cancer <75	DEC::	·							
18 <75	REDU								
Directly Standardised Rate per 100,000 population	18	•		<75					
	-0	Directly Standardised Rate per 100,000 population		-, 5					

		Ages	Baseline	Period	Current	Time period	Trendline
QUAL	ITY OF LIFE FOR OLDER PEOPLE						
19	Flu vaccination uptake % of eligible adults aged 65+ who received the flu vaccine, GP registered population	65+					
20	Emergency admissions to hospital due to injuries from falls  Directly Standardised Rate per 100,000 population	65+					
21	Emergency admissions to hospital due to hip fractures  Directly Standardised Rate per 100,000 population	65+					
22	Health-related quality of life for older people  Average health status score for adults	65+					
23	Permanent admissions to residential/nursing care homes  Crude rate per 100,000 population	65+					
24	Male life expectancy at 65  Average number of years a person would expect to live based on contemporary mortality rates	65+					
25	Female life expectancy at 65  Average number of years a person would expect to live based on contemporary mortality rates	65+					
CQC	PRIORITIES						
ACCID	DENT & EMERGENCY						
26	A&E attendances  Directly Standardised Rate per 100,000 population	All					
27	A&E attendances  Directly Standardised Rate per 100,000 population	0-18					
28	A&E attendances  Directly Standardised Rate per 100,000 population	65+					
HOSP	ITAL ADMISSIONS						
29	Emergency admissions to hospital  Directly Standardised Rate per 100,000 population	0-19					
30	Emergency admissions to hospital  Directly Standardised Rate per 100,000 population	65+					
31	Length of stay of residents admitted to hospital: non elective  Average number of days a resident remained in hospital once admitted	All					
32	Emergency admissions to hospital by care home residents  Number of such admissions by residents of Halton care homes						

		Ages	Baseline	Period	Current	Time period	Trendline
HOSP	ITAL RE-ADMISSIONS						
33	Emergency readmissions to hospital (28 days)	All					
	% of patients readmitted to hospital within 28 days of discharge for all causes						
34	Emergency readmissions to hospital (28 days)	65+					
34	% of patients readmitted to hospital within 28 days of discharge for all causes						
ADUL	T SOCIAL CARE & COMMUNITY						
35	Residents in receipt of social care support	All					
33	The proportion of people who use ASC services who receive self-directed support	All					
	People still at home 91 days after discharge from hospital to reablement/rehabilitation	65+					
36	Proportion remaining at home as a % of all those aged 65+ who were admitted to hospital						
37	Delayed transfers of care	18+					
	Crude rate of bed days for delayed transfers of care per 100,000 population	10.					

Original data source for indicators

Note: Much local data is not available in a published format, it is extracted and analysed from the database

No.	Indicator	Ages Source (local)	Source (national)	Updated by
1	Child development	4/5 PHE fingertips	PHE fingertips	PH
2	A&E attendances	0-4 HES via HDIS	PHE fingertips	PH
3	Children in care	0-17 PHE fingertips	PHE fingertips	PH
4	Obese children - Reception	4-5 PHE fingertips	PHE fingertips	PH
5	Obese children - Year 6	10-11 PHE fingertips	PHE fingertips	PH
6	Hospital admissions for mental health conditions	0-17 HES via HDIS	PHE fingertips	PH
7	Adults achieving recommended levels of physical activity	19+ PHE fingertips	PHE fingertips	PH
8	Adults with excess weight	18+ PHE fingertips	PHE fingertips	PH
9	Under-18 alcohol-specific admission episodes	<18 HES via HDIS	PHE fingertips	PH
10	Alcohol-related admissions episodes (narrow definition)	All HES via HDIS	PHE fingertips	PH
11	Premature mortality from liver disease	<75 PCMD (ONS/NHS Digital	a PHOF; PHE Fingertips	PH
12	Smoking prevalence	18+ PHE fingertips	PHE fingertips	PH
13	Premature mortality from cardiovascular disease	<75 PCMD (ONS/NHS Digital	a PHOF; PHE Fingertips	PH
14	Premature mortality from respiratory disease	<75 PCMD (ONS/NHS Digital	a PHOF; PHE Fingertips	PH
15	Emergency self-harm admissions	All HES via HDIS	PHE fingertips	PH
16	Self-reported wellbeing: people with a low happiness score	16+ PHE fingertips	PHE fingertips	PH
17	Social isolation	18+ PHE fingertips	PHE fingertips	PH
18	Premature mortality from cancer	<75 PCMD (ONS/NHS Digital	a PHOF; PHE Fingertips	PH
19	Flu vaccination uptake	65+ PHE fingertips	PHE fingertips	PH
20	Emergency admissions to hospital due to injuries from falls	65+ HES via HDIS	PHOF; PHE Fingertips	PH
21	Emergency admissions to hospital due to hip fractures	65+ HES via HDIS	PHOF; PHE Fingertips	PH
22	Health-related quality of life for older people	65+ PHOF; PHE Fingertips	PHOF; PHE Fingertips	PH
23	Permanent admissions to residential/nursing care homes	65+ AQuA/ADASS	PHE Fingertips	PH
24	Male life expectancy at 65	65+ PCMD (ONS/NHS Digital	a PHE fingertips	PH
25	Female life expectancy at 65	65+ PCMD (ONS/NHS Digital	a PHE fingertips	PH
26	A&E attendances	All HES via HDIS	N/A	PH
27	A&E attendances	<18 HES via HDIS	N/A	PH
28	A&E attendances	65+ HES via HDIS	N/A	PH
29	Emergency admissions to hospital	0-19 HES via HDIS	PHE fingertips	PH
30	Emergency admissions to hospital	65+ HES via HDIS	N/A	PH
31	Length of stay of residents admitted to hospital: non elective	All CCG		CCG
32	Emergency admissions to hospital by care home residents	65+ CCG		CCG
33	Emergency readmissions to hospital within 28 days of original admission	<18 CCG	NHS Digital	CCG
34	Emergency readmissions to hospital within 28 days of original admission	65+ CCG	NHS Digital	CCG
35	Residents in receipt of social care support	All ASCOF	ASCOF	PH
36	People still at home 91 days after discharge from hospital to reablement/rehabilitation services	65+ NHS Digital	NHS Digital	CCG
37	Delayed transfers of care	18+ AQuA/ADASS	AQuA/ADASS	PH